

8 pages

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S14 7	2907	713/171-172,192,200;380/44, 283-285,262.ccls. and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT	OR	OFF	2005/02/20 11:43
S15 2	48	S147 and ((long\$1term or "long term" or permanent) near (secret or value or key))	US-PGPUB; USPAT	OR	OFF	2005/02/20 12:23
S15 3	34	S152 and ((short\$1term or "short term" or ephemeral or session or temporary) near (secret or value or key))	US-PGPUB; USPAT	OR	OFF	2005/09/17 19:49
S15 4	12	S147 and (generat\$3 with ((long\$1term or "long term" or permanent) near (secret or symmetr\$2 or value or key)))	US-PGPUB; USPAT	OR	OFF	2005/09/17 19:53
S15 5	3	S147 and (("session key" near3 deriv\$5) with (shared near2 secret))	US-PGPUB; USPAT	OR	OFF	2005/09/17 19:54
S15 6	8	S147 and ((register\$3 or configur\$3) with ((cryptographic or trusted or secure\$1) near2 (co\$1processor or module or device or comppnent or facility))) and (generat\$3 near2 (secret or symmetric) adj (key or value))	US-PGPUB; USPAT	OR	OFF	2005/09/17 19:54
S15 7	0	S147 and ("input/output control hub" or "i/o control hub" or ICH or "input/output controller" or "i/o controller") and ((cryptographic adj co\$1processor\$1) or (trusted near2 module) or (trusted near2 component))	US-PGPUB; USPAT	OR	OFF	2005/09/17 19:54
S15 8	23	("input/output control hub" or "i/o control hub" or ICH or "input/output controller" or "i/o controller") and ((cryptographic adj co\$1processor\$1) or (trusted near2 module) or (trusted near2 component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 12:28
S15 9	6	S158 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 12:30

## EAST Search History

S16 0	17	((cryptographic or trusted or secur\$3) near2 (co\$1processor or module or device or component or facility)) same ((generat\$3 or creat\$3) near2 "secret key") and manufacture\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 20:01
S16 1	11	"postal security device" and ((genera\$3 or creat\$3) near2 "secret key")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 20:09
S16 3	63	S147 and ((key or number or value) near3 (updat\$3 or creat\$3 or generat\$3 or deriv\$3) same (power\$1up or "power up" or start\$1up or "start up" or \$2boot\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 20:13
S16 4	15	("4278837"   "5022077"   "5144659"   "5289540"   "5359659"   "5421006"   "5444850"   "5448045"   "5450489"   "5465299"   "5479509"   "5500897"   "5666411"   "5699428"   "5835594").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/20 13:45
S16 5	8	("5680131").URPN.	USPAT	OR	OFF	2005/02/20 14:11
S16 9	14	((hash\$3 or one\$1way or "one way") near (successively or iteratively))	USPAT	OR	OFF	2005/02/20 15:35
S17 0	23	grawrock-david-w.in.	US-PGPUB; USPAT	OR	OFF	2005/09/17 21:29
S17 1	54	(generat\$3 or creat\$3) near3 ((long\$1term or "long term" or permanent or long\$1lived) near (secret or symmetr\$2 or value or key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/20 15:47
S17 2	25	S171 and ((short\$1term or "short term" or ephemeral or session or temporary) near (secret or value or key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/20 15:49
S17 3	6	"postal security device" with (integrat\$3 or component or platform)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/20 16:04

## EAST Search History

S17 4	11	713/193;380/29,46.ccls. and ((cryptographic or trusted or secure\$1) near2 (co\$1processor or module or device or component or facility)) and (shared near2 "secret key"))	US-PGPUB; •USPAT	OR	OFF	2005/02/20 16:05
S17 5	16	((cryptographic near2 (co\$1processor or module or device or component or facility)) and (generat\$3 near2 (secret or symmetric) adj (key or value)) and ((transmit\$3 or send\$3) near2 (key or value))) and platform	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/20 16:20
S17 6	17	((("input/output control hub" or "i/o control hub" or ICH or "input/output controller" or "i/o controller") near5 key) and (encrypt\$3 or decrypt\$3 or cryptograph\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/20 16:24
S17 7	2907	713/171-172,192,200;380/44, 283-285,262.ccls. and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT	OR	OFF	2005/02/20 16:49
S17 8	63	S177 and ((key or number or value) near3 (updat\$3 or creat\$3 or generat\$3 or deriv\$3) same (power\$1up or "power up" or start\$1up or "start up" or \$2boot\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 21:32
S18 3	405	(key or number or value) near2 (updat\$3 or creat\$3 or generat\$3 or deriv\$3) near5 (power\$1up or "power up" or start\$1up or "start up" or \$2boot\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 13:15
S18 4	306	S183 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 21:34
S18 5	228	S184 not booth\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/20 17:17

## EAST Search History

S18 6	15	("4405826"   "4633388"   "4764959"   "4780840"   "4823308"   "4853884"   "4933898"   "5045675"   "5068894"   "5117380"   "5228084"   "5323338"   "5559889"   "5563950"   "5568552").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/20 17:32
S19 3	14	(key or number or value) near2 (updat\$3 or creat\$3 or generat\$3 or deriv\$3 or chang\$3 or modif\$5) near5 (reset\$3) with encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 13:38
S19 9	1382	713/171-172,192,200;380/44, 283-285,262.ccls. and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT	OR	OFF	2006/03/15 11:11
S20 0	44	S199 and ((long\$1term or "long term" or permanent) near (secret or value or key))	US-PGPUB; USPAT	OR	OFF	2006/03/15 11:25
S20 1	33	S200 and ((short\$1term or "short term" or ephemeral or session or temporary) near (secret or value or key))	US-PGPUB; USPAT	OR	OFF	2006/03/15 11:26
S20 3	13	S199 and (generat\$3 with ((long\$1term or "long term" or permanent) near (secret or symmetr\$2 or value or key)))	US-PGPUB; USPAT	OR	OFF	2006/03/15 12:31
S20 4	3	S199 and (("session key" near3 deriv\$5) with (shared near2 secret))	US-PGPUB; USPAT	OR	OFF	2005/09/17 19:54
S20 5	8	S199 and ((register\$3 or configur\$3) with ((cryptographic or trusted or secure\$1) near2 (co\$1processor or module or device or comppnent or facility))) and (generat\$3 near2 (secret or symmetric) adj (key or value))	US-PGPUB; USPAT	OR	OFF	2006/03/15 13:37
S20 6	0	S199 and ("input/output control hub" or "i/o control hub" or ICH or "input/output controller" or "i/o controller") and ((cryptographic adj co\$1processor\$1) or (trusted near2 module) or (trusted near2 component))	US-PGPUB; USPAT	OR	OFF	2005/09/17 19:55
S21 0	8	S208 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 19:58

## EAST Search History

S21 1	18	((cryptographic or trusted or secur\$3) near2 (co\$1processor or module or device or component or facility)) same ((generat\$3 or creat\$3) near2 "secret key") and manufacture\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 20:01
S21 2	12	"postal security device" and ((genera\$3 or creat\$3) near2 "secret key")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 14:41
S21 3	23	S199 and ((key or number or value) near3 (updat\$3 or creat\$3 or generat\$3 or deriv\$3) same (power\$1up or "power up" or start\$1up or "start up" or \$2boot\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 14:49
S21 4	12	("5680131").URPN.	USPAT	OR	ON	2005/09/17 20:51
S21 5	45	("3798360"   "4004089"   "4316055"   "4605820"   "4607137"   "4613901"   "4641102"   "4897875"   "4991208"   "5020106"   "5029207"   "5117379"   "5195136"   "5295188"   "5341425"   "5341426"   "5353353"   "5490258"   "5509073"   "5533127"   "5590194"   "5657095"   "5673319"   "5680131"   "5708714"   "5825879"   "5842224"   "5852472"   "5860136"   "5862150"   "5940509"   "6005940"   "6047103"   "6061449"   "6115376"   "6118873"   "6167136"   "6289102"   "6345101"   "6452959"   "6453304"   "6466669"   "6477252"   "6654883"   "6782476").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/17 20:58
S21 6	26	grawrock-david-w.in.	US-PGPUB; USPAT	OR	OFF	2006/03/15 15:36
S22 3	161	(initializ\$5 manufacture (first near (start\$1up boot "power up"))) near5 ((master secrete) near2 (number value key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 21:51

## EAST Search History

S22 5	81	(initializ\$5 manufacture (first near (start\$1up boot "power up"))) near5 ((master secrete) near2 (number value key)) same (secur\$3 encrypt\$3 synchroniz\$5 control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 21:52
S22 6	58	S225 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 15:45
S22 7	1970	713/171-172,192;380/44,262, 277-278,283-285.ccls. and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT	OR	OFF	2006/03/15 11:14
S22 8	58	S227 and ((long\$1term or "long term" or permanent) near (secret or value or key))	US-PGPUB; USPAT	OR	OFF	2006/03/15 11:25
S23 1	48	S228 and ((short\$1term or "short term" or ephemeral or session or temporary or shared) near (secret or value or key))	US-PGPUB; USPAT	OR	OFF	2006/08/31 11:31
S23 2	14	S227 and (generat\$3 with ((long\$1term or "long term" or permanent) near (secret or symmetr\$2 or value or key)))	US-PGPUB; USPAT	OR	OFF	2006/08/31 11:38
S23 4	14	S227 and ((register\$3 configur\$3 initiali\$5 manufactur\$3) with ((cryptographic or trusted or secure\$1) near2 (co\$1processor or module or device or component or facility or unit))) and (generat\$3 near2 (secret or symmetric) adj (key or value))	US-PGPUB; USPAT	OR	OFF	2006/08/31 11:39
S23 5	12	"postal security device" and ((genera\$3 or creat\$3) near2 "secret key")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 11:41
S23 8	115	S227 and ((key or number or value) near3 (updat\$3 or creat\$3 or generat\$3 or deriv\$3) same (power\$1up or "power up" or start\$1up or "start up" or \$2boot\$3 or reset\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 11:45

## EAST Search History

S23 9	48	S227 and ((key or number or value) near3 (updat\$3 or creat\$3 or generat\$3 or deriv\$3) with (power\$1up or "power up" or start\$1up or "start up" or \$2boot\$3 or reset\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 14:51
S24 0	35	grawrock-david-w.in.	US-PGPUB; USPAT	OR	OFF	2006/08/31 12:01
S24 1	86	(initializ\$5 manufacture (first near (start\$1up boot "power up"))) near5 ((master secrete) near2 (number value key)) same (secur\$3 encrypt\$3 synchroniz\$5 control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 15:45
S24 2	58	S241 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 12:10
S24 3	2088	713/171-172,192;380/44,262, 277-278,283-285.ccls. and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT	OR	OFF	2006/08/31 12:25
S24 4	62	S243 and ((long\$1term or "long term" or permanent) near (secret or value or key))	US-PGPUB; USPAT	OR	OFF	2006/08/31 11:31
S24 5	52	S244 and ((short\$1term or "short term" or ephemeral or session or temporary or shared) near (secret or value or key))	US-PGPUB; USPAT	OR	OFF	2006/08/31 11:32
S24 6	15	S243 and (generat\$3 with ((long\$1term or "long term" or permanent) near (secret or symmetr\$2 or value or key)))	US-PGPUB; USPAT	OR	OFF	2006/08/31 11:38
S24 7	14	S243 and ((register\$3 configur\$3 initiali\$5 manufactur\$3) with ((cryptographic or trusted or secure\$1) near2 (co\$1processor or module or device or component or facility or unit))) and (generat\$3 near2 (secret or symmetric) adj (key or value))	US-PGPUB; USPAT	OR	OFF	2006/08/31 11:40
S24 8	13	"postal security device" and ((genera\$3 or creat\$3) near2 "secret key")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 11:41

## EAST Search History

S24 9	52	S243 and ((key or number or value) near3 (updat\$3 or creat\$3 or generat\$3 or deriv\$3) with (power\$1up or "power up" or start\$1up or "start up" or \$2boot\$3 or reset\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 11:46
S25 0	40	grawrock-david-w.in.	US-PGPUB; USPAT	OR	OFF	2006/08/31 12:02
S25 1	87	(initializ\$5 manufacture (first near (start\$1up boot "power up"))) near5 ((master secrete) near2 (number value key)) same (secur\$3 encrypt\$3 synchroniz\$5 control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 12:10
S25 2	58	S251 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 12:23
S25 3	2	S243 and ("input/output control hub" or "i/o control hub" or ICH or "input/output controller" or "i/o controller") and ((cryptographic adj co\$1processor\$1) or (trusted near2 module) or (trusted near2 component))	US-PGPUB; USPAT	OR	OFF	2006/08/31 12:26
S25 5	92	("input/output control hub" or "i/o control hub" or ICH or "input/output controller" or "i/o controller") and ((cryptographic adj co\$1processor\$1) or (trusted near2 module) or (trusted near2 component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 12:30
S25 6	10	S255 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 12:30